

MANUFACTURED FOR: PRIME SOURCE ST. LOUIS, MO. 63141  
 EMERGENCY TELEPHONE: 1-800-424-9300

**SECTION 1 - PRODUCT**

NAME: ULTRA GRILL  
 Product No: 4154  
 Product Type: Oven & Grill Cleaner

HMIS HAZARD RATING		0- LEAST / MÍNIMO
HEALTH SALUD	3	1- SLIGHT / LIGERO
FLAMMABILITY INFLAMABILIDAD	0	2- MODERATE / MODERADO
REACTIVITY REACTIVIDAD	1	3- HIGH / SERIO
PERSONAL PROTECTION PROTECCIÓN PERSONAL	B	4- EXTREME / MUY GRAVE
		B - glasses / lentes + gloves / guantes

**SECTION 2 - HAZARDOUS INGREDIENTS**

Sodium Hydroxide CAS #1310-73-2 WT%=13.5

**SECTION 3 - HEALTH HAZARD & FIRST AID**

- Acute Health Effect Yes
- Chronic Health Effect None
- Carcinogen NO
- Primary Entry Routes:
  - Skin & Eyes: Contact with the skin can cause severe burns with deep ulcerations. Can cause temporary loss of hair. Repeated contact even with dilute solutions may cause skin damage. Contact with eyes may result in blindness.
  - Ingestion: Ingestion will cause severe damage to the mouth, throat, esophagus, and stomach.
  - Inhalation: Inhalation of mist may be irritating.
- First Aid:
  - Skin: Remove contaminated clothing-wash skin with large volumes of water for at least 15 minutes. If irritation persists get medical attention.
  - Eyes: Wash eyes with large volumes of water for at least 15 minutes while lifting the upper and lower eyelids and rotating the eyeball. Get immediate medical attention.
  - Ingestion: Give large volumes of water. Do not induce vomiting. Get medical attention.
  - Inhalation: Move to fresh air if irritation persists get medical attention.

**SECTION 4 - PHYSICAL & CHEMICAL CHARACTERISTICS**

- Physical State Liquid
- Color Yellow
- Odor Bland
- Solubility in water Complete
- Specific Gravity (H<sub>2</sub>O=1.0) 1.19
- pH 12.8 (1% solution)
- Freezing Point N/A
- Flash Point None (will not burn)
- Vapor Pressure N/A

**SECTION 5 - FIRE AND EXPLOSION HAZARD**

- Flash Point None (will not burn)
- Extinguishing Media N/A
- Special Fire Fighting Procedures N/A
- Unusual Fire & Explosion Hazard Fire fighters should observe all precautions that apply to any fire where chemicals are stored.

**SECTION 6 - REACTIVITY DATA**

- Stability Stable
- Conditions to Avoid Contact with strong acids. Attacks aluminum and galvanized metals

**SECTION 7 - SPILL OR LEAK PROCEDURES**

- Wear recommended Personal Protection Equipment.
- If product leaks or spills - Flood area with water-mop up dispose to sanitary sewer.
- Product may be neutralized with vinegar.
- Abide by Federal, State, and Local regulations.

**SECTION 8 - PERSONAL PROTECTION**

- Use this product in a well ventilated area.
- Wear glasses.
- Wear rubber gloves.

**SECTION 9 - SPECIAL PRECAUTIONS**

- Store containers tightly closed and in an upright position.
- Do not destroy or deface the label.

**SECTION 10 - SECTION 313 SUPPLIER NOTIFICATION (SARA)**

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:  
 None

**SECTION 11 - TOXICOLOGICAL INFORMATION**

None

**SECTION 12 - ECOLOGICAL INFORMATION**

None

**SECTION 13 - DISPOSAL CONSIDERATIONS**

- See Section 7 above.

**SECTION 14 - DOT TRANSPORT INFORMATION\***

- This product is in Package Group II.
- Liters and smaller are classed as CONSUMER COMMODITY ORM-D thus are exempt from regulation.
- Gallons and larger ARE regulated.
- The Bill of Lading - Proper Shipping Name: UN3266, Corrosive liquid, basic, (contains Sodium inorganic, n.o.s. hydroxide), 8, II.

**SECTION 15 - OTHER REGULATORY INFORMATION**

All ingredients appear on the TSCA Inventory List.

**SECTION 16 - OTHER INFORMATION**

\* Revision on 1/19/2009 in Section 14.

- N/A = Not Applicable
- PMCC = Pensky Martin Closed Cup

The health hazards given on this Material Safety Data Sheet apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of overexposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.